

Notice of Allowability

Application No.

10/605,138

Examiner

Boris Benenson

Applicant(s)

PREMERLANI ET AL.

Art Unit

2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 9/10/2003.
2. ☒ The allowed claim(s) is/are 1-12.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 9/10/03, 10/30/03
9/15/03 5.05.04
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Allowable Subject Matter

1. Claims 1-12 are allowed.

The following is an examiner's statement of reasons for allowance:

2. Independent Claims 1 and 7 are allowable because none of the prior art of record disclose a method or a system for compensating for communications channel delay asymmetry in a current differential protection system comprising a step or a mechanism for computing a compensated clock offset by subtracting said apparent GPS clock offset from said apparent sampling clock offset so as to cancel out a channel asymmetry component of deviation in said apparent GPS and sampling clock offsets in combination with the other claim limitations.
3. Claims 2-6 and 8-12 are dependent on allowable claims and therefore allowable.

Related Prior Art

4. Sugiura et al. U.S. Patent 6,678,134 disclose a Digital Protective Relay System wherein a sampling pulse of a GPS satellite corrects frequency of sampling pulse (S2a) of a first relay device and sampling pulse (S2b) of a second relay device so that the timing difference measured is substantially zero. Consequently, in protective relay devices, which are mutually

Art Unit: 2836

independent, since asynchronous sampling pulse S2a and S2b serve as the same timing on the basis of the fixed cycle pulse (S0) of GPS, the synchronization between terminals of the devices is established. Nevertheless the system assumes that transmission delay times for communication transmitted from the first relay device to the second relay device and for communication transmitted from the second relay device to the first relay device are equal. None of Prior Art of the record disclose compensation of clock offset with GPS clock offset in a situation when data transmitted and received through different routes and therefore transmit/receive delay times are asymmetrical.

Comments to reasons for allowance

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Boris Benenson whose telephone number is (571) 272-2048. The examiner can normally be reached on M-F (8:20-6:00) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (571) 272-2800 ext 36. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Boris Benenson
Examiner
Art Unit 2836

B.B.



6-23-06

STEPHEN W. JACKSON
PRIMARY EXAMINER